





WOLSELEY MODEL A-9

YEARS OLD BUTSTILL MAKING HISTORY.



1961



1963



1972KB/FASTER



1979
FASTER-RODEO 4WD



2002



2016

ISUZU D-MAX LAUNCHED (MADE IN INDIA) 2020


BS6 FACELIFT LAUNCH







PAGE 4





PAGE 6

LIVES SUPER LONG, SUPER STRONG.



High tensile steel body
Provides superior
strength and ruggedness
for the long run.



Protective all-round electro-deposition coating Prevents rusting and leads to a long-lasting life.



iGRIP Platform
Modern, new
generation platform for
higher performance.



Graphite coated pistons
Leads to longer engine life by
preventing wear and tear
during cold starts.



Stronger suspension*
To provide optimum load carrying capability.




Tested for over 40 LAKH km* Making the D-Max Super Strong an extremely reliable product.

*Image shown is for representation purpose only. #40 LAKH km is the sum of distance covered under various test conditions in multiple vehicles.



PAGE 8

THE CONFIDENCE OF SUPER STRONG SAFETY.



Collapsible chassis with crumple zones

Provides more safety to occupants during front and rear collisions



Efficient braking system 26.6 cm brake boosters,

ventilated disc and twin pot calipers.



Cross-car front beam and side-door intrusion beams

Provides added safety from front and side impacts.




Underbody protection kit

Steel skid plate and engine bottom guard to safeguard the key vehicle aggregates.



Collapsible steering column

Additional safety for the driver in the event of a frontal collision.



LSPV (Load Sensing Proportioning Valve)

Intelligent braking system that corresponds to the load and reacts accordingly preventing wheel skidding.

SUPER COMFORTABLE LIKE AN SUV, SUPER STRONG LIKE A TRUCK.



Fabric seat covers
When style meets
comfort.



Quiet and spacious cabin
Well insulated cabin with superior
space that provides best-in-class

cabin comfort.



Car-like interiors
High quality and
durable fitments
with excellent finish.



Multiple storage spaces More space while on the go.



AC* with blower, heater, dust and pollen filter Maximum comfort for all occupants.



Ergonomic cabin controls
For easy access
to all controls.



PAGE 11

SUPER STRONG PERFORMANCE IN ALL CONDITIONS.



Multi-Information Display (MID)

Advanced MID gives driver information about vehicle performance parameters. Odo meter, Speedometer, digital speed read out, instant mileage and average mileage, ambient temperature, elapsed time, current fuel range, DPD level indicator, AdBlue level indicator. Car like electroluminescent Instrument cluster



High contrast and stylish instrument cluster

Modern instrument cluster providing optimum visibility during day and night.



Brake Override System

An intelligent system that reacts to panic braking of the vehicle, even when the accelerator is pressed with the brakes.



Rear parking sensor Maximum ease of parking.



Co-passenger sliding seat

Better comfort and ease for the co-passenger in the front seat.



High mount stop lamp

Provides extra precaution for the vehicle approaching from the rear.



Variable speed Intermittent Wipers

Interval between wiper sweeps can be adjusted within a range of approximately 1.5 to 15 seconds. Better visibility during driving in rainy conditions. Enhanced safety



PAGE 13

D'MAX SPECIFICATIONS AND FEATURES

Model	D-MAX SUPER STRONG		D-MAX	
Cab Type	Regular		Regular	
Deck Type	Flat Deck	Cab Chassis	Flat Deck	Cab Chassis
Engine				
Туре	4 Cylinder, Common Rail, VGT Intercooled Diesel			
Cubic Capacity	2499 cc			
Engine Max Power	58 kW/78 hp @ 398 rad/s (3800 rpm)			
Engine Max Torque	176 Nm @ 157 - 251 rad/s (1500-2400 rpm)			
Emission level	Bharat Stage 6 Stage 2			
Transmission				
No. of speeds	5 Speed			
Shift type	Manual			
Suspension				
Front	Double Wishbone, with Coil Springs & stabilizer			
Rear	Semi-Elliptic Leaf Spring			
Wheel				
Wheel Rim Size	16 x 6.5J-33			
Tyre Size	215/75R 16 LT		205R16C	
Tyre Type	Radial			
Brake and Steering				
Brake Type	Hydraulic Brake with large Booster (26.67 cm) and LSPV			
Front Brake	Ventilated Disc with Twin Pot Caliper			
Rear Brake	Drum			
Steering Type	Hydraulic Power Assist with Tilt Adjustment			
Dimensions				
Overall Vehicle (LxWxH)	5375 mm x	5045 mm x	5375 mm x	5045 mm x
	1860 mm x 1830 mm	1860 mm x 1800 mm	1860 mm x 1800 mm	1860 mm x 1790 mm
Wheelbase	3095 mm			
Cargo Deck Inner (LxWxH)	2440 mm x		2440 mm x	
	1725 mm x 510 mm	-	1725 mm x 510 mm	-
Turning Circle Radius	6.3 m			
Ground Clearance	160 mm			
Capacity				
Fuel tank	55 litre			
DEF Tank	14.7 litre			
Seating Capacity	D+1			
Weight				
Payload	1650 kg	-	1180 kg	-
GVW	3490 kg		2990 kg	
Kerb Weight	1840 kg	1640 kg	1810 kg	1610 kg

COMFORT / CONVENIENCE				
Power Steering with Tilt Adjustment				
Blower with heater				
Air Conditioner (Optional)				
Dust & Pollen Filter				
Seat-belt Height Adjuster				
Inner & Outer Dash Noise Insulation				
Fabric seats and Moulded Roof Lining				
Clutch Footrest				
Advanced Electroluminiscent Multi Information Display console				
ORVMs with Adjustment Retention				
Roof Assist grip for Co-driver				
Co-driver seat sliding				
Vynil Floor Cover				
Sun Visor for Driver and Co-driver				
Gear Shift Indicator				
Large A-Pillar assist grips				
UTILITY				
Multiple Storage Compartments				
Retractable Cup and Coin holders on Dashboard				
Door Trims with Bottle Holder and Pocket				
Twin Glove Box				
2 Speakers with pre-wiring (A/c variant only)				
SAFETY / SECURITY				
Hydraulic Brake with large booster (26.67 cm) and LSPV				
Ventilated Front Disc Brake with Twin Pot Caliper				
Brake Override System				
Variable Intermittent Windshield Wiper				
Chassis & Cabin with Crumple Zones				
Cross Car Front Beam				
Door Side Intrusion Beams				
Steel Skid Plate and Engine Bottom guard				
Collapsible Steering Column				
Rear Parking Assist System				
Warning Lights & Buzzers				
ELR Seat Belts				
Large Tyres (40.64 cm)				
*AC Variants only				

^{*}AC Variants only

^{*}Select models are available on GeM



Splash White

PICK THE BEST.




ISUZU MOTORS INDIA PRIVATE LIMITED


9th Floor, Prestige Centre Court - Office Block, Nexus Vijaya Mall, No. 183, N. S. K Salai, Vadapalani, Chennai - 600 026, Tamil Nadu, India. Toll Free No.: 1800 4199 188


Disclaimer—Isuzu Motors India Pvt. Ltd. ("Isuzu") reserves the right to alter or discontinue any specification or any detail of the vehicle (including interiors or approved genuine accessories) without any prior information/notice to existing or prospective customers. Isuzu also has the right to permanently or temporarily discontinue manufacturing of any vehicle or model without any prior information/notice to existing or prospective customers. The specifications and details provided are authentic as on the date* of the printing/publication of this information. Kindly check with Isuzu Dealers for the latest/updated information on the specifications and/or any other details including details of vehicle price and approved genuine accessories. There could be slight variations in the colour of the actual vehicle body/interiors/genuine approved accessories and the colour seen in the printed photos. Kindly contact your nearest Isuzu Dealer to know and feel the exact colour of the vehicle body/interiors/genuine accessories. Certain parts of the vehicle seen in the printed photo are Accessories. These Accessories are not part of the vehicle being sold to the customer. Accessories have to be purchased separately. Isuzu advices to use only approved genuine accessories and not to use any non-genuine fitments. Please contact our dealers for details of approved genuine accessories/fitments. All our vehicles manufactured after 1st April 2020 are compliant with Bharat Stage 6 Stage 2 emission norms. *Date of printing/publication: 20th April, 2024.



For more information, visit us at: www.isuzu.in









PAGE 16 Back Cover