

YOUR PARTNER THAT HELPS YOU GO ON AND ON AND ON....

JAPANESE QUALITY.
UNMATCHED DURABILITY AND RELIABILITY.



EVOLUTION OF D-MAX



WOLSELEY MODEL A-9



ELFINE



1963

WASP



KB/FASTER



FASTER-RODEO 4WD



2002 ISUZU D-MAX

2016

ISUZU D-MAX LAUNCHED (MADE IN INDIA)

2020 **BS6 FACELIFT**

LAUNCH








THE 1ST MILLIONAIRE





1,000,000 Kms **COVERED!**



Location



Typical usage of vehicle

MADURAI

Daily interstate / intercity trips to various airports in Tamil Nadu and Kerala to deliver export shipments of flowers.



STRONG RELIABLE

DURABLE COMFORTABLE



SPECIAL APPLICATIONS

Whatever your business need, the Isuzu global pickup has a solution.









 $Images\ shown\ are\ for\ reference\ purposes\ and\ built\ by\ external\ body\ builders^*.\ T\&C\ apply^*.$

UNLEASH POTENTIAL, DRIVE SUCCESS



SUPER STRONG PERFORMANCE TO MAXIMISE YOUR POTENTIAL.



Cleaner, greener, powerful & proven engine with VGS technology

For unbeatable performance.



Low 6.3 m turning radius
For precise and smooth
drivability.



Refined 5-speed gearbox with overdrive For smoother and more efficient drivability and transmission longevity.



Large wheels (40.64 cms.) For optimum traction and load-bearing.


LIVES SUPER LONG, SUPER STRONG.



High tensile steel body Provides superior strength and ruggedness for the long run.



iGRIP Platform Modern, new generation platform for higher performance.



Protective all-round

Prevents rusting and

electro-deposition coating

leads to a long-lasting life.

Graphite coated pistonsLeads to longer engine life by preventing wear and tear during cold starts.




Stronger suspension*
To provide optimum load carrying capability.



Tested for over 40 LAKH km* Making the D-Max an extremely reliable vehicle.

THE CONFIDENCE OF SUPER STRONG SAFETY.



Collapsible chassis with crumple zones

Provides more safety to occupants during front and rear collisions.



Efficient braking system

26.6 cm brake boosters, ventilated disc and twin pot calipers.



Cross-car front beam and side-door intrusion beams

Provides added safety from front and side impacts.




Underbody protection kit

Steel skid plate and engine bottom guard to safeguard the key vehicle aggregates.



Collapsible steering column

Additional safety for the driver in the event of a frontal collision.



LSPV (Load Sensing Proportioning Valve)

Intelligent braking system that corresponds to the load and reacts accordingly preventing wheel skidding.

SUPER COMFORTABLE LIKE AN SUV, SUPER STRONG LIKE A TRUCK.



Fabric seat covers
When style meets
comfort.



Quiet and spacious cabin
Well insulated cabin with superior
space that provides best-in-class
cabin comfort.



Car-like interiors
High quality and
durable fitments
with excellent finish.



Multiple storage spaces More space while on the go.



AC* with blower, heater, dust and pollen filter Maximum comfort for all occupants.

*AC variants



Ergonomic cabin controls
For easy access
to all controls.

SUPER STRONG PERFORMANCE IN ALL CONDITIONS.



Multi-Information Display (MID)

Advanced MID gives driver information about vehicle performance parameters. Odo meter, Speedometer, digital speed read out, instant mileage and average mileage, ambient temperature, elapsed time, current fuel range, DPD level indicator, AdBlue level indicator. Car like electroluminescent Instrument cluster



Brake Override System

An intelligent system that reacts to panic braking of the vehicle, even when the accelerator is pressed with the brakes.



Co-passenger sliding seat

Better comfort and ease for the co-passenger in the front seat.



High contrast and stylish instrument cluster

Modern instrument cluster providing optimum visibility during day and night.



Rear parking sensor

Maximum ease of parking.



High mount stop lamp

Provides extra precaution for the vehicle approaching



Variable speed Intermittent Wipers

Interval between wiper sweeps can be adjusted within a range of approximately 1.5 to 15 seconds. Better visibility during driving in rainy conditions. Enhanced safety



SPECIFICATIONS

Model	D-MAX 1.7		D-MAX 1.2			
Deck Type	Flat Deck	CBC High	CBC Std	Flat Deck	CBC High	
	Engine					
Туре	4	4 Cylinder, Common Rail, VGT Intercooled Diesel				
Cubic Capacity			2499 cc			
Engine Max Power	58 kW/78 hp @ 398 rad/s (3800 rpm)					
Engine Max Torque	176 Nm @ 157 - 251 rad/s (1500 - 2400 rpm)					
Emission level	BS6 Stage II					
	Transmission					
No. of speeds	5 Speed					
Shift Type	Manual					
Suspension						
Front	Double Wishbone, with Coil Springs & stabilizer					
Rear	Semi-Elliptic Leaf Spring					
Wheel						
Wheel Rim Size	16 x 6.5J-33					
Tyre Size	215/75R 16 LT 205R16C				R16C	
Tyre Type			Radial			
Brakes and Steering						
Brake Type	Hydraulic Brake with large booster (26.67 cm) and LSPV					
Front Brake	Ventilated Disc with Twin Pot Caliper					
Rear Brake	Drum					
Steering Typre	Hydraulic Power Assist with Tilt Adjustment					
Dimensions						
Overall Vehicle (LxWxH) mm	5375x1860x1830	5045x1860x1800	5045x1860x1800	5375x1860x1800	5045x1860x1790	
Wheelbase			3095 mm			
Cargo Deck Inner (LxWxH) mm	2440x1725x510	*	*	2440x1725x510	*	
Turning Circle Radius	6.3 m					
Ground Clearance			160 mm			
Capacity						
Fuel Tank			55 litre			
DEF Tank	14.7 litre					
Seating capacity			D+1			
Weight						
Payload	1650 kg	1850* kg	1865* kg	1180 kg	1380* kg	
GVW	3490 kg 2990 kg					
Kerb Weight	1840 kg	1640 kg	1625 kg	1810 kg	1610 kg	

^{*} Cab Chassis. Payload to be determined after body isntallation

Disclaimer: The ISUZU D-Max vehicle can only be registered as 'Commercial Vehicle' in India and can only be driven by person/s holding a valid 'Light Commercial Vehicle' license or such other as may be prescribed under the relevant norms prevalent under different states in India in Line with the Motor Act 1988 and Central Motor Vehicle Rules, 1989 as amended from time to time. The information provided in this brochure should be viewed as accurate at the time of going to print. Images shown are only for representation purpose . The illustrations/images may show optional equipment and accessories which are not part of the standard package. The product specifications/variants/colours shown in the brochure are subject to change without notice and the manufacture reserves the right to change/modify elements of vehicle specifications and equipment/accessories. Actual vehicle colours in the brochure may vary from those shown owing to limitations in printing. Model series ISUZU D-MAX comply to Bharat Stage 6 Stage 2 norms. Date of going to print – 18th September, 2024.

	CBC HIGH		CBC High			
COMFORT/ CONVENIENCE						
Power Steering with Tilt Adjustment	•	•	•			
Blower with heater	•	-	•			
Air Conditioner (Optional)	•	-	•			
Dust & Pollen Filter	•	-	•			
Seat-belt Height Adjuster	•	•	•			
Fabric seats and Moulded Roof Lining	•	•	•			
Clutch Footrest	•	-	•			
Advanced Electroluminiscent Multi Information Display console	•	•	•			
ORVMs with Adjustment Retention	•	•	•			
Co-driver seat sliding	•	•	•			
Vinyl Floor Cover	•	•	•			
Sun Visor for Driver and Co-driver	•	Driver only	•			
Gear Shift Indicator	•	•	•			
Large A-Pillar assist grips	•	-	•			
UTILITY						
Multiple Storage Compartments	•	•	•			
Retractable Cup and Coin holders on Dashboard	•	•	•			
Door Trims with Bottle Holder & Pocket	•	•	•			
Twin Glove Box	•	•	•			
2 Speakers with pre-wiring (A/c variant only)	•	-	•			
Isuzu Vehicle Health Report	•	•	•			
SAI	FETY/ SECURITY					
Hydraulic Brake with large booster (26.67 cm) and LSPV	•	•	•			
Ventilated Front Disc Brake with Twin Pot Caliper	•	•	•			
Brake Override System	•	•	•			
Variable Intermittent Windshield Wiper	•	•	•			
Chassis & Cabin with Crumple Zones	•	•	•			
Cross Car Front Beam	•	•	•			
Door Side Intrusion Beams	•	•	•			
Steel Skid Plate & Engine Bottom guard	•	•	•			
Collapsible Steering Column	•	•	•			

D-MAX 1.7

Flat Deck/

Features

Rear Parking Assist System Warning Lights & Buzzers ELR Seat Belts Large Tyres (40.64 cm)

NEW

D-MAX 1.7 CBC Std

Flat Deck/



ISUZU Motors India | You Tible | IsuzuMotorsIndia isuzumotorsindia | X @Isuzulndia ♦ +9189255 27644 Toll Free No.: 1800 4199 188

